## RECEIVED CENTRAL FAX CENTER

JUN 0 9 2008

## **CLAIMS:**

1. (Original) A medical device comprising a multilayer region that comprises:

Fax:908-518-

- (a) a charged nanoparticle layer comprising charged nanoparticles; and
- (b) a plurality of charged polyelectroyte layers comprising charged polyelectrolyte species,

wherein said medical device is configured for implantation or insertion into a subject.

- 2. (Original) The medical device of claim 1, wherein said medical device is selected from a balloon catheter, a graft, a stent and a filter.
- 3. (Original) The medical device of clam 1, wherein said multilayer region comprises a plurality of charged nanoparticle layers.
- 4. (Original) The medical device of clam 1, said multilayer region comprises a plurality of charged nanoparticle layers that comprise nanoparticles selected from carbon nanoparticles, silicate nanoparticles, and ceramic nanoparticles.
- 5. (Original) The medical device of clam 1, wherein said multilayer region comprises a plurality of charged nanoparticle layers that comprise nanoparticles selected from carbon nanotubes, carbon nanofibers, fullerenes, ceramic nanotubes, ceramic nanofibers, phyllosilicates, monomeric silicates and dendrimers.
- 6. (Original) The medical device of clam 1, wherein said multilayer region comprises a plurality of charged nanoparticle layers that comprise single walled carbon nanotubes.
- 7. (Original) The medical device of clam 1, wherein said multilayer region comprises a plurality of charged nanoparticle layers that comprise nanoparticles ranging from 0.5 to 100 nm in smallest dimension.

- 8. (Original) The medical device of clam 1, wherein said multilayer region comprises a plurality of charged polyelectrolyte layers that comprise a polycation selected from polyallylamine, polyethyleneimine, poly(dimethyl diallyl ammonium chloride), protamine sulfate, chitosan, gelatin, spermidine, and albumin, and a plurality of charged polyelectrolyte layers that comprise a polyanion selected from poly(styrene sulfonic acid), poly(aniline sulfonic acid), polyacrylic acid, sodium alginate, polystyrene sulfonate, eudragit, gelatin, hyaluronic acid, carrageenan, chondroitin sulfate, carboxymethylcellulose.
- 9. (Original) The medical device of claim 1, wherein said multilayer region comprises from 10 to 200 charged polyelectrolyte and nanoparticle layers.
- 10. (Original) The medical device of claim 1, wherein said multilayer region comprises a therapeutic agent.
- 11. (Original) The medical device of claim 1, wherein a protective polymer coating layer is provided over at least a portion of said multilayer region.
- 12. (Original) The medical device of claim 1, wherein said plurality of charged polyelectrolyte layers comprises a biodegradable charged polyelectrolyte layer.
- 13. (Original) The medical device of claim 12, wherein a therapeutic agent is provided beneath or within said biodegradable polyelectrolyte layer.
- 14. (Original) The medical device of claim 1, wherein said medical device comprises a plurality of said multilayer regions.
- 15. (Original) The medical device of claim 1, wherein at least a portion of said multilayer region is freestanding.
- 16. (Original) The medical device of claim 1, wherein at least a portion of said multilayer region is disposed on an underlying or overlying structure.

- 17. (Original) The medical device of claim 16, wherein said underlying or overlying structure is a temporary structure that is not implanted or inserted with said medical device.
- 18. (Original) The medical device of claim 16, wherein said underlying or overlying structure is a permanent structure that forms part of said medical device.
- 19. (Original) The medical device of claim 16, wherein said underlying structure is a balloon.
- 20. (Original) The medical device of claim 16, wherein said underlying structure is a catheter.
- 21. (Original) The medical device of claim 16, wherein said underlying structure is a stent.
- 22. (Original) The medical device of claim 16, wherein said underlying structure is a graft.
- 23. (Original) The medical device of claim 16, wherein a patterned multilayer region is provided over said underlying structure.
- 24. (Original) The medical device of claim 16, wherein said underlying structure is a ceramic, metallic or polymeric structure.
- 25. (Original) The medical device of claim 1, wherein one or more reinforcement members are provided adjacent to or within said multilayer region.
- 26. (Original) The medical device of claim 1, wherein said one or more reinforcement members are in the form of a fiber mesh, a fiber braid or a fiber winding.
- 27. (Original) The medical device of claim 1, further comprising a residue from a removable substrate adjacent said multilayer region.

- 28. (Original) The medical device of claim 1, wherein charged nanocapsules, which comprise a plurality of charged polyelectrolyte encapsulation layers, are incorporated into said multilayer region.
- 29. (Original) The medical device of claim 28, wherein said charged nanocapsules comprise a therapeutic agent.
- 30. (Original) The medical device of claim 10, wherein said therapeutic agent is selected from anti-thrombotic agents, anti-proliferative agents, anti-inflammatory agents, anti-migratory agents, agents affecting extracellular matrix production and organization, antineoplastic agents, anti-mitotic agents, anesthetic agents, anti-coagulants, vascular cell growth promoters, vascular cell growth inhibitors, cholesterol-lowering agents, vasodilating agents, and agents that interfere with endogenous vasoactive mechanisms.
- 31. (Original) A method of providing the medical device of claim 1, comprising providing a substrate;

applying a series of charged layers over said substrate, wherein each successive layer is opposite in charge to a previously applied layer and wherein said series of charged layers comprises: (a) a charged nanoparticle layer that comprises charged nanoparticles and (b) a plurality of said charged polyelectrolyte layers that comprise charged polyelectrolyte species.

- 32. (Original) The method of claim 31, wherein said series of charged layers comprises a plurality of nanoparticle layers that comprises charged nanoparticles.
- 33. (Original) The method of claim 32, comprising applying an alternating series of negatively charged nanoparticle layers and positively charged polyelectroyte layers.
- 34. (Original) The method of claim 32, comprising applying an alternating series of positively charged nanoparticle layers and negatively charged polyelectroyte layers.

35. (Original) The method of claim 31, comprising a series of charged layers to reinforce the substrate.

Fax:908-518-7795

- 36. (Original) The method of claim 32, wherein said charged nanoparticle and polyelectrolyte layers are applied over said substrate by spraying.
- 37. (Original) The method of claim 32, wherein said charged nanoparticle and polyelectrolyte layers are applied over said substrate by dipping.
- 38. (Original) The method of claim 32, wherein said substrate becomes part of the finished medical device.
- 39. (Original) The method of claim 32, wherein said substrate is removed.
- 40. (Original) The method of claim 39, wherein a balloon is formed over said substrate.
- 41. (Original) The method of claim 39, wherein said substrate is used to cover a surface of a stent.
- 42. (Original) The method of claim 39, wherein said multilayer region is deposited over an inside surface of said substrate.
- 43. (Original) The method of claim 42, wherein said substrate covers an outer surface of a stent and said multilayer region is deposited over an inside surface of said stent and said substrate.
- 44. (Original) The method of claim 42, wherein a balloon is formed over an inside surface of said substrate.
- 45. (Original) The method of claim 39, wherein said multilayer region is deposited over an outside surface of said substrate.

- 46. (Original) The method of claim 45, wherein said substrate covers an inner surface of a stent and said multilayer region is deposited over an outside surface of said stent and said substrate.
- 47. (Original) The method of claim 45, wherein a balloon is formed over an outside surface of said substrate.
- 48. (Original) The method of claim 39, wherein said substrate is a two piece mold.
- 49. (Original) The method of claim 39, wherein said substrate is formed of a meltable, sublimable, combustible or dissolvable material.
- 50. (Original) The method of claim 39, wherein said substrate is formed of wax.
- 51. (Original) The method of claim 47, wherein perfusion tubes are positioned within said substrate prior to applying said charged layers.
- 52. (Original) The method of claim 47, wherein a guidewire lumen is positioned within said substrate prior to applying said charged layers.
- 53. (Original) The medical device of claim 1, wherein said medical device comprises a balloon that is configured for insertion into and inflation within a body lumen of a subject, said balloon comprising a multilayer region that further comprises: (a) at least five charged nanoparticle layers comprising charged carbon nanotubes; and (b) at least five charged polyelectroyte layers comprising charged polyelectrolyte species.
- 54. (Original) The medical device of claim 53, wherein said charge polyelectrolyte layers are selected from polyacrylic acid, polyethylene imine, or a combination of both.
- 55. (Original) The medical device of claim 53, further comprising an inflatable balloon underlying said multilayer region.

56. (Original) The medical device of claim 53, further comprising a fibrous reinforcement member.